CLAIMS

1. (Amended) A process for preparing an RPET polymer blend component, including an RPET carrier and a specialty additive, comprising:

providing a quantity of RPET particles having an average mean particle size from about 500 microns to about 5 microns;

adding a specialty additive to the RPET particles; and

mixing the RPET particles and specialty additive, to prepare a homogeneous blend of RPET carrier and specialty additive, and

mixing the homogeneous blend with a resin to dilute the specialty additive to a desired consistency.

- 2. (original) The process for preparing an RPET polymer blend component according to Claim 1, wherein the average mean particle size of the RPET particles ranges from about 300 microns to about 15 microns.
- 3. (original) The process for preparing an RPET polymer blend component according to Claim 1, wherein the specialty additive is selected from the group consisting of colorants, toners, dyes, ultraviolet blocking agents, oxygen scavengers, gas diffusion barrier agents, antioxidants, acetylaldehyde reduction additives, slip agents, lubricants, fillers, and mixtures thereof.

4. (Amended) A process for preparing an RPET polymer blend component, including an RPET carrier and a specialty additive, comprising:

providing RPET particles having an average mean particle size from about 500 microns to about 5 microns;

- adding a specialty additive to the RPET particles, said specialty additive selected from the group consisting of colorants, toners, dyes, ultraviolet blocking agents, oxygen scavengers, gas diffusion barrier agents, antioxidants, acetylaldehyde reduction additives, slip agents, lubricants, fillers, and mixtures thereof; and mixing the RPET particles and specialty additives to prepare a homogeneous blend of
- mixing the RPET particles and specialty additive, to prepare a homogeneous blend of RPET carrier and specialty additive; and

mixing the homogeneous blend with a resin to dilute the specialty additive to a desired consistency.

 (Original) The process for preparing an RPET polymer blend component according to Claim 4, wherein the average mean particle size of the RPET particles ranges from about 300 microns to about 15 microns.

- 6. (New) The process for preparing an RPET polymer blend component according to Claim 1, wherein the resin is one of virgin PET and recycled resin.
- 7. (New) The process for preparing an RPET polymer blend component according to Claim 6, further including the step of melt processing the homogenous blend prior to being mixed with the resin.

8. (New) The process for preparing an RPET polymer blend component according to Claim 4, wherein the resin is one of virgin PET and recycled resin.

9. (New) The process for preparing an RPET polymer blend component according to Claim 8, further including the step of melt processing the homogenous blend prior to being mixed with the resin.